
Flying Carpet

Description

LED Mesh Chandelier - Indoor only

Materials

LED 5mm
Nickel silver wire
Chrome, white or black ceiling hardware
Monofilament suspension lines

Warranty

1 Year Limited Warranty

Safety

ETL Listed



LED Technical

Dimming: 0-10V
Light Output: 3000K
Lumens: 500 at 24" x 86"
Voltage: 120V (277V available)
Power: 35W at 24" x 84"

Remote Transformer

35W with 0-10V dimming module
Enclosure 8" x 8" x 4" (by Others)

Ceiling Canopy Option

9" x 2" round



Flying Carpet - 30" x 84" x 12"



Advent Health Cancer Center, Kansas City, Kansas

Flying Carpet - 10ft x 17ft x 8ft



Advent Health Cancer Center, Kansas City, Kansas

Flying Carpet - 10ft x 17ft x 8ft



Flying Carpet 60" x 168" x 30" (L x W x D)

Remote Transformer Installation

Hand-soldered wire mesh brings electricity to the lights.


12-lb test monofilament suspends large fixtures weighing only a few pounds.





Flying Carpet - 32" x 96" x 12"

Ceiling Canopy Installation



*Flying Carpet - 2 fixtures shown, 30" x 80" x 26" combined
Remote transformer, seamless cord drop (no hardware), recessed ceiling hardware*



Flying Carpet during the day. A fine wire mesh and thin cabling make the artwork float within the space.





Standard suspension hardware options

Flying Carpet hangs from clear monofilament

Recessed hardware available for some ceiling types

Remote Transformer Wiring



RECOMMENDED DIMMERS:
 Lutron NTSTV-DV (0-10V)
 Lutron DVSTV (0-10V)


JKS TO PROVIDE:
 LIGHT FIXTURE
 TRANSFORMER AND DIMMING MODULE
 SUSPENSION CABLES and HANGING HARDWARE
 CEILING TO FIXTURE WIRE
 CEILING COVER PLATE

ELECTRICIAN TO PROVIDE:
 ALL IN-WALL WIRING
 8" x 6" or larger METAL ENCLOSURE
 DIMMER and/or DIMMING SIGNAL

Optional Add-on Lutron LMJ-5T-DV-B to pair with Pico remotes and/or Radio Ra Controls



5" cover for remote transformer wiring

Chrome finish micro-gripper suspension hardware



Radio Dimmer Wiring

Ceiling Canopy - 9" diameter, 2" tall
 transformer, dimming module and radio module inside ceiling canopy
 35W driver (100-240VAC, 5V output)



 Lutron Pico Wall Dimmer (Battery Powered)

Required add-on Lutron LMJ-5T-DV-B to pair with Pico remotes and/or Radio Ra Controls


OR hard-wired 0-10V conductors to wall dimmer or lighting control system

JKS TO PROVIDE:
 LIGHT FIXTURE
 TRANSFORMER AND DIMMING MODULE
 RADIO RECEIVER AND PICO REMOTE
 SUSPENSION CABLES and HANGING HARDWARE
 CEILING TO FIXTURE WIRE
 CEILING CANOPY


ELECTRICIAN TO PROVIDE:
 GROUNDED 120V CONNECTION

9" canopy with transformer for Radio Dimmer wiring

Chrome finish micro-gripper suspension hardware



Seamless Install



Note:

- for remote transformer wiring installations only
- Top-side ceiling access required
- flush mount cord drop for junction box installations (no-top side access) available as an optional add-on